



NAVIGATING THE FUTURE

www.inoxhydraulic.com

inoxhydraulic@gmail.com

>> ABOUT US

Inox Hydraulic Industries is having vast experience of 20 years in this field of hydraulic along with customer satisfaction and quality maintenance; the company have achieved reputation and trust within a very short span. Thanks to our user friendly direct marketing, for sighted & honest business policy.

Continuous development & products improvement is our motto. M/S INOX HYDRAULIC INDUSTRIES has continually worked to develop innovative and quality products and has earned a reputation for excellence in the hydraulic industry.



3/15 - TON 26"



Cylinder Size : OD 114mm x ID 100mm
 Length : 21.5" (546mm)
 Piston Size : OD 86.7mm x ID 76mm
 Length : 19.5" (495mm)
 Ram : OD 49.5mm
 Length : 20" (508mm)
 Pin Center : 26" (660mm)
 Pin Size : Top 32.5mm x Bottom 38mm
 Oil Seal : U Seal / PU / Rubber
 Design : Telescopic



3/15 - TON 30"



Cylinder Size : OD 114mm x ID 100mm
 Length : 25" (635mm)
 Piston Size : OD 86.7mm x ID 76mm
 Length : 23" (584mm)
 Ram : OD 49.5mm
 Length : 23" (585mm)
 Pin Center : 30" (762mm)
 Pin Size : Top 32.5mm x Bottom 38mm
 Oil Seal : U Seal / PU / Rubber
 Design : Telescopic

3/15 - TON 33"

OD 114mm x ID 100mm
 28" (711mm)
 OD 86.7mm x ID 76mm
 26" (660mm)
 OD 49.5mm
 26" (660mm)
 33" (838mm)
 Top 32.5mm x Bottom 38mm
 U Seal / PU / Rubber
 Telescopic

15 - TON (Heavy Duty)

15 - TON 26"



Cylinder Size : OD 127mm x ID 111mm
 Length : 20.5" (514mm) Horned Tube
 Piston Size : OD 87mm x ID 76mm
 Length : 19.5" (495mm)
 Horned Tube
 Micro Finished Grinding,
 Hard Chrome Plated
 Ram : OD 49.5mm
 Length : 20" (508mm)
 Micro Finished
 Hard Chrome Plated
 Pin Center : 26" (660mm)
 Pin Size : Top 32.5mm x Bottom 38mm
 Oil Seal : U Seal / PU / Rubber
 Design : Telescopic

15 - TON 30"

OD 127mm x ID 111mm
 24.25" (615mm) Horned Tube
 OD 87mm x ID 76mm
 23.5" (596mm)
 Horned Tube
 Micro Finished Grinding,
 Hard Chrome Plated
 OD 49.5mm
 23" (585mm)
 Micro Finished
 Hard Chrome Plated
 30" (762mm)
 Top 32.5mm x Bottom 38mm
 U Seal / PU / Rubber
 Telescopic

15 - TON 33"

OD 127mm x ID 111mm
 27.25" (692mm) Horned Tube
 OD 87mm x ID 76mm
 26" (660mm)
 Horned Tube
 Micro Finished Grinding,
 Hard Chrome Plated
 OD 49.5mm
 26" (660mm)
 Micro Finished
 Hard Chrome Plated
 33" (838mm)
 Top 32.5mm x Bottom 38mm
 U Seal / PU / Rubber
 Telescopic

5 - TON

5 - TON 26"



Cylinder Size : OD 127mm x ID 111mm
Length : 21.5" (546mm)
Piston Size : OD 86.7mm x ID 76mm
Length : 19.5" (495mm)
Ram : OD 49.5mm
Length : 20" (508mm)
Pin Center : 26" (660mm)
Pin Size : Top 32.5mm x Bottom 38mm
Oil Seal : U Seal / PU / Rubber
Design : Telescopic

5 - TON 30"



Cylinder Size : OD 127mm x ID 111mm
Length : 25" (635mm)
Piston Size : OD 86.7mm x ID 76mm
Length : 23" (584mm)
Ram : OD 49.5mm
Length : 23.23" (590mm)
Pin Center : 30" (762mm)
Pin Size : Top 32.5mm x Bottom 38mm
Oil Seal : U Seal / PU / Rubber
Design : Telescopic

5 - TON 33"



Cylinder Size : OD 127mm x ID 111mm
Length : 28" (711mm)
Piston Size : OD 86.7mm x ID 76mm
Length : 26" (660mm)
Ram : OD 49.5mm
Length : 26.5" (673mm)
Pin Center : 33" (838mm)
Pin Size : Top 32.5mm x Bottom 38mm
Oil Seal : U Seal / PU / Rubber
Design : Telescopic

TRACTOR TROLLEY



8/10 - TON (High Speed)

8/10 - TON 26"



Cylinder Size : OD 140mm x ID 125mm
Length : 21.5" (546mm)
Piston Size : OD 86.7mm x ID 76mm
Length : 19.5" (495mm)
Ram : 49.5mm
Length : 20" (508mm)
Pin Center : 26" (660mm)
Pin Size : Top 32.5mm x Bottom 38mm
Oil Seal : U Seal / PU / Rubber
Design : Telescopic

8/10 - TON 30"

Cylinder Size : OD 140mm x ID 125mm
Length : 25" (635mm)
Piston Size : OD 86.7mm x ID 76mm
Length : 23" (584mm)
Ram : 49.5mm
Length : 23" (585mm)
Pin Center : 30" (762mm)
Pin Size : Top 32.5mm x Bottom 38mm
Oil Seal : U Seal / PU / Rubber
Design : Telescopic

8/10 - TON 33"



Cylinder Size : OD 140mm x ID 125mm
Length : 28" (711mm)
Piston Size : OD 86.7mm x ID 76mm
Length : 26" (660mm)
Ram : 49.5mm
Length : 26" (660mm)
Pin Center : 33" (838mm)
Pin Size : Top 32.5mm x Bottom 38mm
Oil Seal : U Seal / PU / Rubber
Design : Telescopic

TRACTOR TROLLEY



01

Dozer Hydraulic Cylinder



Cylinder Size : 75 mm x 90 mm
horned tube

Ram Size : 50 mm
micro finished grinding
hard chrome plated

Stroke : 609 mm

Pin Center : 7" (178 mm)
(Pin to trunnion)

Oil Seal : Technolan / Hallite

02

Dozer Hydraulic Cylinder



Cylinder Size : 63 mm x 75 mm
horned tube

Ram Size : 40 mm
micro finished grinding
hard chrome plated

Pin Center : 18" (457 mm)
(Pin to trunnion)

Close Center : 30" (762 mm)
(Top to Bottom)

Stroke : 21" (533 mm)

Oil Seal : Technolan / Hallite

03

Loader Hydraulic Cylinder



Cylinder Size : 70 mm x 84 mm
horned tube

Ram Size : 45 mm
micro finished grinding
hard chrome plated

Close Center : 48" (1219 mm)

Close Center : 30" (762 mm)
And also specifications &
sizes are developed as
per requirement

04

Front Dozer Hydraulic Cylinder



Cylinder Size : 60 mm x 75 mm
horned tube

Ram Size : 30 / 36 mm
micro finished grinding
hard chrome plated

Close Center : 24" (609 mm)

Stroke : 12" (305 mm)

Oil Seal : Technolan / Hallite



FRONT DOZER

01



01-a



01-b



02



02-a




02-b



03



03-a



03-b



04



05-a



05-b



05-c



06



07




08



09



10



11



12



01 - Male & Female Valve
(a) Only Male (b) Only Female

02 - Quick Relief Valve (QRC)
(a) Only Female (b) Only Male

03 - Dust Cap & Plug Set
(a) Only Cap (b) Only Dust

04 - Benjo ' T '

05 - Extra Nipple For Any Tractor
(a) Eicher & Sonalika Tractor
(b) Escort Tractor
(c) HMT Tractor

06 - Benjo Bolt (Any Tractor)

07 - Outer Thread Nipple

08 - Inner Thread Nipple

09 - Joint Nipple


10 - Copper Vocer For Any Tractor

11 - Tractor Steel Pipe Any Tractor

12 - Hydraulic Hose Pipe For Tractor Trailer, Dumper, Loader, JCB, Hitachi and as per requirement



 Plot No. 129, Balaji Industrial Area,
150ft Ring Road, Near Perfect True Value,
Opp. Vrundavan Gaushala,
Rajkot (Vavadi), Gujarat, INDIA.

 +91 99099 08393
+91 96386 76682

 inoxhydraulic@gmail.com

 www.inoxhydraulic.com